

terracovertmVtm®



100mm/4inch overlap with unique vertical camlock system

terracovertmVtm® has been designed to fulfil the following exacting criteria when protecting artificial or natural grass:

- Speed and ease of install and removal (4m² / 43ft² panels)
- No specialised equipment needed
- Long Lifespan
- Bears the weight of forklift trucks and cherry-pickers
- Totally interlocking camlock system
- No gaps
- Easy to clean and store
- Looks good
- Reasonable price
- Available in either grey for indoor use or translucent HDPE for natural grass/outdoor use



Translucent HDPE to ensure continued photosynthesis (outdoor)



World's No.1 for **Turf Protection**

Checkers Safety Group UK Ltd t/a Terraplas

The Barn, Hall Farm House, High Street, Castle Donington Derby
DE74 2PP UK

Tel: +44 (0)1332 812813

Email: terraplas@checkers-safety.com

www.terraplas.com



terracover“V”[®] installed at BC Place, Vancouver over their Artificial Turf.



Initial Laying of terracover“V”[®]



Moveable seats rolling out on top of terracover“V”[®]



Half of the 12,500m² now in place



Job complete with a final clean





terrcover"V"®

Specifications

Dimensions	99cm x 99cm x 41mm. (3'3" x 3'3" x 1½") Four tiles are bolted together at the factory and shipped on pallets. Each block has a useable top surface of 3.92m ² (42¼ ft ²)
Weight	12kgs (27lbs) per tile
Material	High Density, Polyethylene (HDPE) - with UV stabilizer for outdoor use (translucent)
Method of Manufacture	Twin sheet thermo-formed
Temperature Range	-20°C to 45°C (-4°F to 113°F)
Static Loading	Point load 20mm diameter = 571kgs (2,585lbs / inch ²) Spread load 65kN /150mm sq 2,888kN / m ² or 294 tonnes /m ² (543,023lbs/yd ²)
Fire Requirements	UL94 HB
Colours	Translucent natural, or light grey.
Cleaning	High pressure cold water spray washer
Warranty/ Life Expectancy	Guaranteed for 5 years but has a realistic life expectancy of c. 20 years
Applications	For pedestrian use, and can also be used as a temporary drivable roadway flooring to protect natural/synthetic turf when using trucks, forklifts or cherry-pickers for all types of special events
Slip Resistance	Integral slip-resistant surface – to British Standard


terrapias
 World's No.1 for Turf Protection
www.terrapias.com



Checkers Safety Group UK Ltd t/a Terraplas

The Barn, Hall Farm House, High Street, Castle Donington, Derby. DE74 2PP UK

Tel: +44(0)1332 812813

Fax: +44(0)1332 853410

Email: terrapias@checkers-safety.com