

World's **No.1** for Stadium Turf Protection for **30 years**



FACTS about terraplas®:

•	LARGEST AIR SPACE	More room for grass to grow
•	LONGEST GUARANTEE	10 years - incl. camlocks/pins
•	SAFEST	Certified Non-Slip Surface
•	COMPLETELY MONOLITHIC	Locks directly to terraplasHD
	EACTECT EITTINIC	Danal siza 1m2/12ft2 maans ma

 FASTEST FITTING Panel size 4m²/43ft² means more coverage with each panel laid by 2 people


(1 nanel - 1 tiles ninned together at the factory)

terraplas® THE PRODUCT THAT PIONEERED TURE PROTECTION

Originally developed in 1990 in consultation with Wembley Stadium, one of the World's busiest concert venues, terraplas is now used internationally stadiums & arenas wishing to make their venue truly multi-purpose.



This pioneering concept has ensured stadiums can protect their grass for events such as concerts, exhibitions, dinners, graduations, religious ceremonies and many more opportunities.





The latest design modifications have been made in consultation with many turf managers worldwide, who have up to 30 years of experience using terraplas and extensive knowledge of our competitors' products. The re-designed tile has all of the attributes of the original design, but now incorporates a completely new and even deeper rib pattern. This makes it the strongest true turf protection system available for natural / hybrid high-end turf.

terraplas now has a specially designed integrated anti-slip surface. Other slight modifications have resulted in a product with a modern approach that will also lock to the original design, maintaining continuity.





To address the different requirements for synthetic turf protection, terraplas can be supplied in gray colour without feet or breathing holes – *per above image*.



Top Surface with anti-slip pattern & breathing holes

Underside ribbing No Feet

The growing demand on venue managers to maximise revenue necessitates regular use of stadiums/arenas for non-sporting events. The experience **Terraplas** has gained since inception gives us unrivalled knowledge of the requirements of the entertainment business in this environment.

Price DOES Matter

Every **terraplas** system purchased since 1990 is STILL in use today Some have been rented out hundreds of times for the last 30 years & are still going strong!

No other manufacturer can get anywhere near this performance.

terraplas® / terraplas® NF SPECIFICATIONS

Internationally acknowledged as the best systems available for turf protection, **MOST** of the World's Multi-use National Stadiums have purchased Terraplas products



Dimensions	1m (3'3") x 1m (3'3") x 64mm (2½") Pinned into panels of 4 (measuring 2m x 2m/6'6" x 6'6") prior to leaving the factory
Weight	12.5kgs per m² / 27.2lbs per tile
Material	High molecular weight, high density, polyethylene with UV stabilizer – Translucent version is guaranteed against UV degradation for 30 years!
Method of Manufacture	Structural Foam Injection molded
Temperature Range	-20 degrees C to 50 degrees C / -4 degrees F to 122 degrees F
Loading (STATIC)	370 psi
Fire Requirements	UL94HB
Color	Translucent natural material, which allows the passage of light, ensuring grass growth – without yellowing Gray colour is available without breathing holes for use on synthetic turf.
Cleaning	High pressure cold water spray washer / steam cleaner / cleaning machine
Life Expectancy	Guaranteed for 10 years but has a proven life expectancy in excess of 30 years (FACT: proven for past 30 years - every single terraplas® system sold since 1990 is still in regular use!)
Applications	Temporary flooring to cover natural/hybrid turf for all special events. Gray colour is available without breathing holes for use on synthetic turf.
Slip Resistance	Highest rated integral anti-slip top surface (Certified)




terraplas® Re-Born



Choose terraplas 're-born'

After 19 years of extremely successful use of the worlds premier turf protection product, terraplas and working closely with the US Terraplas Team, Seattle Mariners have chosen to not only purchase 85,000ft² of the updated, even stronger terraplas-NF (No Feet) for their pedestrian use, but also a further 17,500ft² of the new drivable version - terraplas-HD.



T-MOBILE PARK

To reflect the considerable changes in turf protection requirements since it's inception over 30 years ago, terraplas has now been '**RE-BORN**'. The new integrated anti-slip surface was implemented 2 years ago. An advanced rib-structure has now been incorporated, making it even stronger and more versatile than the original. Who knows how long this version will last – bearing in mind there are numerous terraplas systems still in use around the world that, in spite of being 20-30 years old, continue to perform to the highest standards.

Additionally, the drivable version, terraplas-HD, has been introduced for use under the stage and for front-of-stage, mixer/lighting towers, concessions & toilets etc.

terraplas®NF



The newly redesigned terraplas-NF underside now has all the structural walls extending to the ground level creating a consistent load bearing grid.

New terraplas-NF tiles stacked and ready to fit

terraplas-NF has the same surface area that is in contact with the turf as the original **terraplas**.

After Initial Mowing & the Field Looks Great!

With normal maintenance, the grass looks healthy, green and "game ready".


There has been no detrimental effect from being covered with terraplas-NF for 3 days with the area being constantly walked over.




terraplas®

... JUST A FEW OF OUR LONG-TERM OWNERS














terraplas®

... MORE OF OUR LONG-TERM OWNERS














terraplas® ADA/DDA ACCESS RAMPS

terraplas edge ramps are available that allow easy access for the disabled



These access ramps conform with international ADA/DDA requirements.

They are manufactured to order.

For Further Information for The Americas contact:

Michael Beane Eric Deeks
Director of Sales Sales Manager

Terraplas North America 1106 W. Highway 31 75662 Kilgore Texas

Ph: **903 983 2009** Cell: **214 704 1090**

Email: The Americas@terraplas.com

The manufacturer, Terraplas, based in the UK, is a trading division of Hughes Safety Showers Ltd., part of the Justrite Safety Group.